



PX range



PX

ENHANCE YOUR BROADCAST STORYTELLING

Engineered to power Unreal Engine vanilla graphics, the PX is our high-performance render hardware, ideal for broadcast productions.



WARRANTIES & SUPPORT

- 2 year return to base hardware warranty (plus options to extend warranty length)
- Disguise Porta licence included

BUNDLED ACCESSORIES

Mouse, Keyboard, Power Cable (IEC x2: USA/EU/UK), Hardware Guide, Slide Rail Kit.

PHYSICAL SPECIFICATIONS

	W	H	D
Packed Dimensions	585mm 23.03"	255mm 10.04"	1100mm 43.3"
Unit Dimensions	440mm 17.32"	88mm 3.46"	800mm 31.5"
Unit + Rack Handles	483mm 19"	-	825mm 32.5"
Rack Depth	-	-	836mm 32.9"
Unit Weight		24.3 kg 53.5 lbs	

PX

HARDWARE SPECIFICATIONS

Voltage: 100-240VAC, 50-60Hz*

Power Connection: IEC

Power Consumption: 460W

Heat Dissipation Peak: 1,691 BTU/hr

Operating System: Windows 10 Enterprise GAC

GPU: NVIDIA RTX A5000


Environmental Tolerances: Temperature: 10-35°C (50°-95°F) / Humidity: 20%-90% / (non-condensing) / Altitude: 0-8850 ft (0-2700m)

OS: 1x 2TB SSD

Storage: 1x 1.92TB Removable NVMe SSD

Memory: 64GB RAM (4x 16GB)

Mounting System: 2U 19" rack mount



SYSTEM CONNECTIVITY I/O

Video Output:

- 4x 4K outputs using DisplayPort 1.4

Video Input:

- N/A

Audio:

- N/A

General Network: 2x 1Gb/sec Ethernet

Data/Peripherals: 6x USB 3.0

* for countries with variable power supply, we recommend a UPS to provide a consistent voltage.

PX+

ENHANCE YOUR BROADCAST STORYTELLING

If you're looking for the ultimate broadcast rendering solution, the PX+ comes with all the capabilities of the PX with the addition of the more powerful GPU and video capture as standard.



WARRANTIES & SUPPORT

- 2 year return to base hardware warranty (plus options to extend warranty length)
- Disguise Porta licence included

BUNDLED ACCESSORIES

Mouse, Keyboard, Power Cable (IEC x2: USA/EU/UK), Hardware Guide, Slide Rail Kit.

PHYSICAL SPECIFICATIONS

	W	H	D
Packed Dimensions	585mm 23.03"	255mm 10.04"	1100mm 43.3"
Unit Dimensions	440mm 17.32"	88mm 3.46"	800mm 31.5"
Unit + Rack Handles	483mm 19"	-	825mm 32.5"
Rack Depth	-	-	836mm 32.9"
Unit Weight		24.3 kg 53.5 lbs	

HARDWARE SPECIFICATIONS

Voltage: 100-240VAC, 50-60Hz*

Power Connection: IEC

Power Consumption: 394W

Heat Dissipation Peak: 1,343 BTU/hr

Operating System: Windows 10 Enterprise GAC

GPU: NVIDIA RTX A6000


Environmental Tolerances: Temperature: 10-35°C (50°-95°F) / Humidity: 20%-90% / (non-condensing) / Altitude: 0-8850 ft (0-2700m)

OS: 1x 2TB SSD

Storage: 1x 1.92TB Removable NVMe SSD

Memory: 96GB RAM (6x 16GB)

Mounting System: 2U 19" rack mount



SYSTEM CONNECTIVITY I/O

Video Output:

- 4x 4K outputs using DisplayPort 1.4
- 4x bidirectional 3G connections configurable for either video input or video output (BNC connector)

Video Input:

- 4x bidirectional 3G-SDI connections configurable for either video input or video output (BNC connector)

Audio:

- SDI Audio Input/Output - 16x channels

General Network: 2x 1Gb/sec Ethernet

Data/Peripherals: 6x USB 3.0

* for countries with variable power supply, we recommend a UPS to provide a consistent voltage.